



# Managing Acute Severe Asthma in PICU

*Suchada Sritippayawan, M.D.*

*Jitladda Deerojanawong, M.D.*

*Nuanchan Prapphal, M.D.*

*Dept. of Pediatrics, Chulalongkorn University*

# Acute severe asthma

- Severe acute asthma exacerbation
- Status asthmaticus
- Life threatening asthma (Near fatal asthma)

# Near fatal asthma (Life threatening asthma)

- Acute asthma associated with respiratory failure (hypercapnia) or respiratory arrest requiring mechanical ventilation with or without alteration of consciousness

*Respir Care 2008;53:726*  
*EMA 2009; 21: 259*  
*Curr Opin Pulm Med 2008; 14: 13*

## **Characteristics of near-fatal asthma in children: descriptive study (30 cases <15 yrs.)**

- **Male gender (58%)**
- **History of severe persistent asthma (83%)**
- Waking every night (50%)
- **Significant exercise limitation (79%)**
- Previous ICU admission (23%)
- **Hospital admission in the last 12 months (70%)**
- Excessive use of  $\beta_2$  agonist without prophylaxis medication (21%)

*Martin AJ, et al. Pediatr Pulmonol 1995; 20: 1-8*

# Characteristics identifying patients at particular risk for life threatening asthma

- Infants < 1 yr. old
- Prior history of life-threatening exacerbation
- *Less than 10% improvement in PEF in the ER*
- *PEF or FEV<sub>1</sub> < 25% of predicted value*
- *PCO<sub>2</sub> > 40 mmHg*
- *Wide daily fluctuations in PEF*
- Patient cannot recognize airflow obstruction

*Chipp BE, et al. J Pediatr 2005 : 228*